



IMPRESORA ZM600 TD/TT
Modelo : 9290030
Disponible
Sku: 9290030
Parte ZM600-2001-0000T
UPC Number 999999999999
Nombre del Producto: IMPRESORA ZM600 TD/TT
Fabricante: Zebra Technologies
Dimensiones de Empaque
Alto 0.44 Mts
Ancho 0.58 Mts
Profundidad 0.45 Mts
Peso 18.80 Kgs
Product Type : Direct Thermal/Thermal Transfer Printer
Manufacturer Part Number : ZM600-2001-0000T
Manufacturer Website Address : www.zebra.com
Marketing Information : The ZM600 includes additional productivity-enhancing features and modern, flexible network connectivity for easy system integration in most manufacturing, warehousing and business applications. The ZM600 is upgradeable to grow with changing needs.
Manufacturer : Zebra Technologies Corporation
Product Model : ZM600
Product Name : ZM600 Thermal Label Printer
Product Series : Z Series
Brand Name : Zebra
Technical Information
Bar Code Symbology Supported :
Codabar
Code 11
Code 39
Code 93
EAN-13
EAN-8
Industrial 2 of 5
Interleaved 2 of 5
LOGMARS
MSI
Planet Code
Plessey
POSTNET
RSS
Standard 2 of 5
UPC 2 or 5 Digit Extension
EAN With 2 or 5 Digit Extension
UPC-A
UPC-E
Code 128-A
Code 128-B

Code 128-C
UCC Case Codes
Aztec Code
Codablock
Code 49
Data Matrix
Maxi Code
Micro PDF-417
PDF-417
QR Code
Maximum Print Width : 167.64 mm (6.60)
Recommended Use : Label Print
Maximum Print Resolution : 203 dpi
Maximum Mono Print Speed : 254 mm/s
Memory

Flash Memory : 8 MB
Standard Memory : 16 MB
Memory Technology : DRAM
Media Types & Handling

Maximum Roll Diameter : 203 mm
Media Type :
Fanfold
Notched
Perforated Label
Tag Stock
Black Mark
Continuous Form
Die-cut Label
Media Sensor :
Transmissive Media Sensor
Reflective Media Sensor
Label Core Size : 76 mm
Ribbon Core Size : 25.40 mm
Maximum Label Width : 171 mm
Maximum Label Length : 991 mm
Fonts & Emulation

Language Emulation : ZPL
Power Description

Input Voltage :
110 V AC
220 V AC
Physical Characteristics

Height : 338.0 mm
Width : 340.0 mm
Depth : 475.0 mm

Miscellaneous

Additional Information :

RFID Ready

Real Time Clock

Unicode -Compliant

Power Cord with US plug

Ribbon coated-out spindle

Color Coded Operator cues

Quick Change Printhead and Platen

Transmissive and Reflective Media Sensors

Multi-lingual Backlit 240x128 pixel Graphic Display

Package Contents :

ZM600 Label Printer

Safety Guide

User's Cd

Power Cord with US plug

Platform Supported : PC

Certifications & Standards :

IEC 60950-1

EN 55022 Class B

EN 55024

EN 61000-3-2

EN 61000-3-3

cTUVus

CE

FCC-B

ICES-003

VCCI

C-Tick

NOM

CCC

GOST-R

BSMI

S-Mark

SABS

MIC

ZIK

Warranty

Standard Warranty : 1 Year Limited

~~30561.00 pesos~~ 27857.87 pesos